1979 ANNUAL INDEXES

TEXTILE RESEARCH JOURNAL

Volume 49

AUTHOR AND TITLE INDEX, pp. 731–736

SUBJECT INDEX, pp. 737–742

MONTH	PAGES	MONTH	PAGES
January	1–60	July	371–432
February	61–122	August	433–494
March	123–184	September	495–556
April	185–246	October	557–618
May	247–308	November	619–680
June	309–370	December	681–742

AUTHOR AND TITLE INDEX

Abbott, N. H. The Effect of Warp and Filling Variables on the Tensile Failure and Joint Strength of Kevlar 29 Parachute Webbing (*Ericksen, Donovan, Coskren*) 1

Achwal, W. B. Influence of Bleaching Operations on the Properties of Control and DMEU-Finished Cotton Fabrics (*Varghese, Pasad*) 543

Afifi, M. S. The Relationship Between Light-Fastness and the Physical Properties of Simple Mono-Azo Dyestuffs (*Kamel, Amin, Tera*) 260

Amin, S. A. The Relationship Between Light-Fastness and the Physical Properties of Simple Mono-Azo Dyestuffs (*Kamel, Afifi, Tera*) 260

Ash, John F. Durable-Press, Wool/Cotton Blend, Double-Knitted Fabrics Shrink-Resisted with Ozone (*Thorsen*) 65

Baitinger, W. F. Product Engineering of Safety Apparel Fabrics: Insulation Characteristics of Fire-Retardant Cottons 221

Baker, Marjorie Wann The Effect of Dry-Cleaning and of Laundering With and Without Fabric Softeners on the Thermal Properties of Blankets (*Reagan*) 302

Baker, Roy V. Improving Gin-Lint Cleaning for the Removal of Open-End Spinning Microdust (*Towery*) 127

Barrera, Arnoldo Natural Hard Fibers of the North American Continent. Statistical Correlations of Physical and Mechanical Properties of Lechuguilla (*Agave lechuguilla*) Fibers (*Belmares, Castillo*) 619

Baumann, H. Studies on Wool Cuticle and Cuticle Components (*Kulkarni*). 675

Belmares, Hector Natural Hard Fibers of the North American Continent. Statistical Correlations of Physical and Mechanical Properties of Lechuguilla (*Agave lechuguilla*) Fibers (*Castillo, Barrera*) 619

Benisek, L. Fyrol 76 as a Flame-Retardant for Wool (*Edmonson*) 119
Reply to Reply by Thorsen *et al.* (*Edmonson*) . . 122
Protective Clothing—Evaluation of Wool and Other Fabrics (*Edmonson, Phillips*) 212
Flame-Retardant Multipurpose Finishes for Wool (*Craven*) 395

Bennett, Judith M. The Torque Generated in Single and Multi-Ply Yarns as a Function of Changes in Yarn Tension (*Postle*) 499

Bereck, A. Shrink-Resist Treatments of Wool Fabrics with Water-Soluble Acrylic Copolymers. Part I: Relationships Between Polymer Composition and Shrink Resistance 233
Part II: Physical Properties of Polymers and Treated Fabrics (*Kamien*) 247

Berni, Ralph J. Composition of Weave-Room Dust (*Brown, Wall*) 19
Infrared Analysis of Vapor-Phase Pyrolysis Products of Flame-Retardant Fabrics (*McCall, Morris*) 288
Effects of Washing Raw Stock Cotton on Trash and Carding Dust Levels and FEV_1 Values—A Pilot Study (*Brown, Cocke, Bragg*) 679

Bhattacharjee, Tapan K. Comments on "A Mechanism of Carrier Action in Dyeing Polyester with Disperse Dyestuffs" 428

Bhattacharya, T. K. Effect of Tension Level on Texturizing of Nylon 6 Multifilament Yarn (*Mukherjee, Sengupta*) 40

Blyth, G. Measurement and Interpretation of Fabric Dynamic Modulus (*Postle*) 601

Boylston, E. K. An Electron Microscopy Study of Cotton Fibers Mercerized at Elevated Temperatures (*Hebert*) 317
Cross-Sectional Parameters of Cotton Fibers (*Hebert, Wadsworth*) 540

Bragg, C. Kenneth Effects of Washing Raw Stock Cotton on Trash and Carding Dust Levels and FEV_1 Values—A Pilot Study (*Brown, Berni, Cocke*) 679

Brody, H. The Breakage of Staple Yarns 516

Broome, Esther R. The Soiling Propensity of Open-End and Ring-Spun Yarns in Jersey Knit Fabrics (*Warnock*) 530

Brown, David F. Composition of Weave-Room Dust (*Wall, Berni*) . . . 19
Effects of Washing Raw Stock Cotton on Trash and Carding Dust Levels and FEV_1 Values—A Pilot Study (*Berni, Cocke, Bragg*) . . . 679
Brown, G. H. A Method for Calibrating Frequency Distributions . . . 101
Buchanan, David R. Ignition Process in Single and Multicomponent Polyester/Cotton Textile Structures (*Pintauro*) . . . 326
Byrne, K. M. The Critical Surface Tension of Wool (*Roberts, Ross*) . . . 34

Caban, J. Clinton A New Spinning Process for Worsted Yarns . . . 146
Carlsson, D. J. The Use of Small-Angle Light-Scattering (SALS) to Examine the Structure of Fibers (*Garton, Stepaniak, Wiles*) . . . 335
Cary, Richard T. Absorbency of Terry Towels: A Comparative Evaluation of Test Methods (*Sproles*) . . . 691
Cashen, Norton A. Effects of Carbohydrazide on Volatiles Released During Finishing with THPOH-NH_3 and Attendant Decrease in Shade Changes of Reactive-Dyed Cotton Fabrics . . . 94
Multifunctional Applications of Hydrazides in Flame-Retardant and Durable-Press Finishing of Cotton . . . 431
Reduced Formaldehyde Release in Durable-Press Finishing of Cotton Textiles . . . 480
Castillo, J. Ernesto Natural Hard Fibers of the North American Continent. Statistical Correlations of Physical and Mechanical Properties of Lechuguilla (*Agave lechuguilla*) Fibers (*Belmares, Barrera*) . . . 619
Chauhan, R. S. SEM Studies of the Fracture Morphology of Single Cotton Fibers (*Shah, Dweltz*) . . . 61
Morphological and Mechanical Properties of Raw and Swollen Cotton Fibers (*Shah, Rajagopalan, Dweltz*) . . . 632
Cheng, C. C. The Direction Distribution on Cross-Contact Points in Anisotropic Fiber Assemblies (*Duckett*) . . . 379
Chidambareswaran, P. K. Quantitative X-Ray Phase Analysis in Cottons Through Simple Indices (*Sreenivasan, Patil, Sundaram*) . . . 493
Crystallite Orientation Parameters and Tensile Properties of Cotton Fibers (*Warrier, Munshi*) . 617
Cocke, Joseph B. Dust-Control Additives for Cotton and Cotton/Polyester Blends (*Perkins*) . . . 131
Effects of Washing Raw Stock Cotton on Trash and Carding Dust Levels and FEV_1 Values—A Pilot Study (*Brown, Berni, Bragg*) . . . 679
Cooke, T. F. Chemical Composition of Cotton Dust and its Relation to Byssinosis: A Review of the Literature . . . 398
Coppari, L. A. Design and Construction of a Thermally-Instrumented Mannequin for Measuring the Burn Injury Potential of Wearing Apparel (*Trent, Resch, Finley*) . . . 639
Coryell, J. W. Identification of Barré Sources in Circular Knits (*Phillips*) . . . 105
Coskren, R. J. The Effect of Warp and Filling Variables on the Tensile Failure and Joint Strength of Kevlar 29 Parachute Webbing (*Ericksen, Abbott, Donovan*) . . . 1
Costanza, Peter A. Influences of Fiber Geometry on the Performance of Nonwoven Air Filters. Part II: Fiber Diameter and Crimp Frequency (*Lamb*) . . . 79
Craven, P. C. Flame-Retardant Multipurpose Finishes for Wool (*Benisek*) . . . 395
Cuculo, John A. Comparison of Carboxyl-Content Determination in Cellulose Half-Acid Ester Derivatives by Calcium Acetate and Silver Absorption Methods (*Simonson, Wadsworth*) . . 352
A Comparison of the Effects of Liquid Ammonia and Sodium Hydroxide Treatments on the Accessibility of Wood Pulp (*Wadsworth, Hudson*) 424
The Reaction of Wood Pulp with α,β-Amic Acids. Part II: Synthesis and Characterization of Possible Spinnable Derivatives (*Wadsworth, Hudson*) . . . 445
Custer, Anna G. A Human Perception Analysis Approach to Clothing Comfort (*Hollies, Morin, Howard*) . . . 557

Dansizer, C. J. Effect of Polymer Deposition and Washing Medium on the Felting Shrinkage of Chlorinated Wool Fabrics (*Kamath, Weigmann*) 292
Thermomechanical and Swelling Behavior of Polymers Used in Wool Shrinkproofing (*Kamath, Weigmann*) . . . 343
Das Gupta, P. C. Geometrical and Mechanical Properties of Alkali-Treated Jute Filaments (*Samajpati, Mazumdar*) . . . 8
Datyner, A. Author's Reply (to "Comments" by *T. K. Bhattacharjee*) . . . 430
Dawn, Frederick S. Cotton Protective Apparel for the Space Shuttle (*Morton*) . . . 197
Day, M. A Systematic Study of the Effects of Individual Constructional Components on the Flammability Characteristics of a Carpet (*Suprunchuk, Wiles*) . . . 88
Dhingra, R. C. Bending Properties of Warp-Knitted Outerwear Fabrics (*Gibson, Postle*) . . . 50
Shear Properties of Warp-Knitted Outerwear Fabrics (*Postle*) . . . 526
Donaldson, Darrell J. Imparting Smolder-Resistance to Cotton Upholstery Fabric (*St. Mard, Harper*) 185
Donovan, J. G. The Effect of Warp and Filling Variables on the Tensile Failure and Joint Strength of Kevlar 29 Parachute Webbing (*Ericksen, Abbott, Coskren*) . . . 1
Duckett, K. E. Mechanical Properties of Cotton/Polyester Yarns. Part I: Contributions of Interfiber Friction to Breaking Energy (*Goswami, Ramey*) . . . 262
Contributions of Perimeter and Wall Thickness to the Level of Cotton Fiber Convolution (*Goswami*) 368
The Direction Distribution on Cross-Contact Points in Anisotropic Fiber Assemblies (*Cheng*) 379
Duke, Marshall W. Foam Finishing of Cotton-Containing Textiles (*Namboodri*) . . . 156
Dweltz, N. E. SEM Studies of the Fracture Morphology of Single Cotton Fibers (*Chauhan, Shah*) . . . 61
Morphological and Mechanical Properties of Raw and Swollen Cotton Fibers (*Chauhan, Shah, Rajagopalan*) . . . 632

Edmonson, G. K. Fyrol 76 as a Flame-Retardant for Wool (*Benisek*) . . . 119
Reply to the Reply by Thorsen et al. (*Benisek*) . 122
Protective Clothing—Evaluation of Wool and Other Fabrics (*Benisek, Phillips*) . . . 212

Ericksen, R. H. The Effect of Warp and Filling Variables on the Tensile Failure and Joint Strength of Kevlar 29 Parachute Webbing (*Abbott, Donovan, Coskren*) 1

Fahmy, A. H. Statistical Techniques in the Analysis of Jacquard Weft-Knitted Structures (*Newton*) . . 661
Feughelman, M. Intermicrofibrillar Linkages in α-Keratin Fibers 704
Finley, D. L. Design and Construction of a Thermally-Instrumented Mannequin for Measuring the Burn Injury Potential of Wearing Apparel (*Trent, Resch, Coppari*) 639
Folk, Craig L. Perforated-Groove, Self-Cleaning, Open-End Spinning Rotors (*Murray*) 140
Fornes, R. E. Chemical Composition of Cotton Dusts. Part I: Analyses of Cotton Plant Parts, Gin Trash, and Weed Samples (*Mittal, Gilbert, Sasser*) 364
Part II: Analyses of Samples Collected in a Model Card Room (*Mittal, Gilbert, Hersh, Sasser*) . . . 389
Franklin, William E. Mechanistic Aspects of Flame Retardancy in Cotton Cellulose (*Rowland*) . . . 170
Friedman, Mendel Author's Reply to Comments re Wool Flame-Retardants (*Thorsen, Pardo*) . . . 121

Garton, A. The Use of Small-Angle Light-Scattering (SALS) to Examine the Structure of Fibers (*Carlsson, Stepaniak, Wiles*) 335
Gerold, E. A. PET Filaments with Radially-Differentiated Structure (*Rebenfeld, Scott, Weigmann*) . 652
Gianchandani, J. K. A Comparative Study of Thermomechanical and Chemomechanical Texturing of Nylon 6 Multifilament Yarns (*Sengupta, Jindal*) 360
Gibson, Viki L. Bending Properties of Warp-Knitted Outerwear Fabrics (*Dhingra, Postle*) 50
Gilbert, R. D. Chemical Composition of Cotton Dusts. Part I: Analysis of Cotton Plant Parts, Gin Trash, and Weed Samples (*Mittal, Fornes, Sasser*) 364
Part II: Analyses of Samples Collected in a Model Card Room (*Mittal, Fornes, Hersh, Sasser*) . . 389
Giles, Charles H. A Statistical Examination of Influences Affecting Lightfastness of Dyed Fibers—The Effect of Fiber Polarity (*Strevens*) 724
Goswami, B. C. Mechanical Properties of Cotton/Polyester Yarns. Part I: Contributions of Interfiber Friction to Breaking Energy (*Duckett, Ramey*) 262
Contributions of Perimeter and Wall Thickness to the Level of Cotton Fiber Convolution (*Duckett*) 368
Graham, C. O., Jr. Evaluation of Cotton/Kevlar Blends (*Rhodes*) 28
Graham, John S. New Spindle Tip Reduces Spinning Yarn Tension and Tension-Related Ends Down (*Taylor*) 608
The Influence of Front-Roll Coverings on the Spinning Strength of Cotton (*Taylor*) 717
Graham, L. A. A New Reactive System for Continuous Dyeing and Printing of Cellulose and Blends (*McConnell, Swidler*) 458
Griffin, A. C., Jr. High-Capacity Ginning and Fiber Breakage 123
Gulrajani, M. L. Effect of Dye-Polymer Interaction on the Stress-Strain Characteristics of Dyed Polyethylene Terephthalate Fiber (*Saxena, Sengupta*) 474
Gupta, V. B. Modelling Nonlinear Creep of Textile Fibers. A Reply (*Kumar*) 240
Determination of Crystallite Orientation in Polyethylene Terephthalate Fibers (*Kumar*) 405

Haasma, Hans. A Microscopic Method for Analyzing Cotton Microdust Accumulation in Rotor Spinning (*Langley*) 455
Hajek, Ben F. A Practical Sample-Holder for Maximizing Peak Resolutions with X-Ray Diffractometry (*Hall, Hardin*) 495
Hall, David M. A Practical Sample-Holder for Maximizing Peak Resolutions with X-Ray Diffractometry (*Hajek, Hardin*) 495
Hardin, Ian R. A Practical Sample-Holder for Maximizing Peak Resolutions with X-Ray Diffractometry (*Hall, Hajek*) 495
Harper, Robert J., Jr. Imparting Smolder-Resistance to Cotton Upholstery Fabric (*Donaldson, St. Mard*) 185
Harrowfield, B. V. The Systematic Cutting and Stretch-Breaking of Disoriented Slivers 565
Hassenboehler, Charles B. Lint-Loss and Appearance-Change Tests for Blankets (*Wyatt*) 583
Heap, S. Allan A Consideration of the Critical Add-on and the Uniformity of Crosslinking 150
Hearle, J. W. S. Tensile Fatigue of Cotton Fibers (*Sparrow*) 242
Further Studies of the Fractography of Cotton Fibers (*Sparrow*) 268
Hebert, J. J. An Electron Microscopy Study of Cotton Fibers Mercerized at Elevated Temperatures (*Boylston*) 317
Cross-Sectional Parameters of Cotton Fibers (*Boylston, Wadsworth*) 540
A New Look at Cotton-Fiber Tensile Fracture . . 575
Hersh, S. P. Chemical Composition of Cotton Dusts. Part II: Analyses of Samples Collected in a Model Card Room (*Mittal, Gilbert, Fornes, Sasser*) 389
Hofferbert, W. L., Jr. A Solvent-Dyeing Process for Aramid Fibers (*Preston*) 283
Hollies, Norman S. A Human Perception Analysis Approach to Clothing Comfort (*Custer, Morin, Howard*) 557
Holmes-Brown, R. L. A New Moisture-Measurement Technique for Drying Beds of Loose Textile Fibers (*Nossar*) 312
Hosokawa, Juzo The Electrochemical Process in the Molding of Nonwoven Structures (*Miura*) . . . 685
Howard, Marilyn E. A Human Perception Analysis Approach to Clothing Comfort (*Hollies, Custer, Morin*) 557
Hudson, Sam M. A Comparison of the Effects of Liquid Ammonia and Sodium Hydroxide Treatments on the Accessibility of Wood Pulp (*Wadsworth, Cuculo*) 424
The Reaction of Wood Pulp with α,β-Amic Acids. Part II: Synthesis and Characterization of Possible Spinnable Derivatives (*Wadsworth, Cuculo*) 445

Irvine, P. A. Calibration of the CSIRO Fiber-Fineness-Distribution Analyzer (*Lunney*) 97
Some Factors Affecting Measurement by the CSIRO Fiber-Fineness-Distribution Analyzer (*Lunney*) 371

Jansa, Jaroslav Modelling Nonlinear Creep of Textile Fibers (*Militký*) 238
Jindal, S. K. A Comparative Study of Thermomechanical and Chemomechanical Texturing of

Nylon 6 Multifilament Yarns (*Sengupta, Gianchandani*) 360
Jones, J. B. Relation of Cotton Fiber Maturity and Strength Uniformity to Change in Tenacity with Mercerization (*Lawson, Ramey*) 433

Kamath, Y. K. Effect of Polymer Deposition and Washing Medium on the Felting Shrinkage of Chlorinated Wool Fabrics (*Weigmann, Dansizer*) 292
Thermomechanical and Swelling Behavior of Polymers Used in Wool Shrinkproofing (*Weigmann, Dansizer*) 343
Kamel, M. The Relationship Between Light-Fastness and the Physical Properties of Simple Mono-Azo Dyestuffs (*Amin, Afifi, Tera*) 260
Kissa, Erik Determination of Disperse Dyes in Polyethylene Terephthalate Fibers 245
Kinetics and Mechanisms of Detergency. Part III: Effect of Soiling Conditions on Particulate Soil Detergency 384
Knoepfler, Nestor B. Upgrading Flammability Classification of Upholstery Fabrics *via* Vapor-Phase Deposition of Boric Acid (*Madacsi*) 176
Komori, Takashi Geometrical Expressions of Spaces in Anisotropic Fiber Assemblies (*Makishima*) . . . 550
Kulkarni, V. G. Studies on Wool Cuticle and Cuticle Components (*Baumann*) 675
Kumar, Raj Quantitative Analysis of Cotton-Polynosic Blends (*Sarma, Srivastava*) 673
Kumar, Satish Modelling Nonlinear Creep of Textile Fibers. A Reply (*Gupta*) 240
Determination of Crystallite Orientation in Polyethylene Terephthalate Fibers (*Gupta*) 405

Lamb, George E. R. Influences of Fiber Geometry on the Performance of Nonwoven Air Filters. Part II: Fiber Diameter and Crimp Frequency (*Costanza*) 79
Landwehrkamp, Hans Preparation and Spinning of Wool with the Rotor-Spinning System 137
Langley, Kenneth D. A Microscopic Method for Analyzing Cotton Microdust Accumulation in Rotor Spinning (*Haasma*) 455
Lawson, R. Relation of Cotton Fiber Maturity and Strength Uniformity to Change in Tenacity with Mercerization (*Ramey, Jones*) 433
Lofton, John T. Factors Affecting the Lint Shedding of Cotton Knitting Yarns (*Ruppenicker*) . . . 681
Lunney, H. W. M. Calibration of the CSIRO Fiber-Fineness-Distribution Analyzer (*Irvine*) 97
Some Factors Affecting Measurement by the CSIRO Fiber-Fineness-Distribution Analyzer (*Irvine*) 371

Madacsi, John P. Upgrading Flammability Classification of Upholstery Fabrics *via* Vapor-Phase Deposition of Boric Acid (*Knoepfler*) 176
Madan, G. L. Physical Chemistry of Dyeing of Cellulosic Fibers with Reactive Dyes. Part I: The Role of Electrolytes in the Sorption of Hydrolyzed Reactive Dyes (*Shrivastava*) . . . 322
Makishima, Kunio Geometrical Expressions of Spaces in Anisotropic Fiber Assemblies (*Komori*) . . . 550
Mangialardi, Gino J., Jr. Lint-Cleaning Efficiency at Gins and Its Significance 476
Marquette, Yvonne B. Lightweight, Durable-Press Cotton and Polyester/Cotton with Ignition Resistance (*Reeves*) 163
Mazumdar, A. Geometrical and Mechanical Properties of Alkali-Treated Jute Filaments (*Samajpati, Das Gupta*) 8
McCall, Elizabeth R. Infrared Analysis of Vapor-Phase Pyrolysis Products of Flame-Retardant Fabrics (*Morris, Berni*) 288
McConnell, B. L. A New Reactive System for Continuous Dyeing and Printing of Cellulose and Blends (*Graham, Swidler*) 458
McGregor, Thomas R. A Systematic Approach to the Description of the Properties of Some Spin-Finish Components 485
Militký, Jiří Modelling Nonlinear Creep of Textile Fibers (*Jansa*) 238
Mittal, D. K. Chemical Composition of Cotton Dusts. Part I: Analyses of Cotton Plant Parts, Gin Trash, and Weed Samples (*Fornes, Gilbert, Sasser*) 364
Part II: Analyses of Samples Collected in a Model Card Room (*Gilbert, Fornes, Hersh, Sasser*) . . . 389
Miura, Yoshito The Electrochemical Process in the Molding of Nonwoven Structures (*Hosokawa*) . 685
Mollah, M. Thermally-Stimulated Depolarization-Current Studies in Thermoelectrets of Cotton and Staple Viscose Rayon (*Pillai*) 647
Moore, R. A. F. Structure-Property Relationships in Polytetramethylene Terephthalate/Polytetramethylene Isophthalate Copolyesters. Part I: Glass-Transition Temperatures (*Peters*) 623
Part II: Relationships Between Dyeability and the Glass-Transition Temperature (*Peters*) 710
Morin, Catherine J. A Human Perception Analysis Approach to Clothing Comfort (*Hollies, Custer, Howard*) 557
Morris, Nancy M. Infrared Analysis of Vapor-Phase Pyrolysis Products of Flame-Retardant Fabrics (*McCall, Berni*) 288
Morton, Glenn P. Cotton Protective Apparel for the Space Shuttle (*Dawn*) 197
Mukherjee, A. K. Effect of Tension Level on Texturizing of Nylon 6 Multifilament Yarn (*Sengupta, Bhattacharya*) 40
Muller, L. L. Photographic Documentation of Fluorescent Compounds in Gin Trash (*Wall, Webber*) 677
Munshi, V. G. Determination of Approximate Cotton Fiber Fineness Using the Digital Fibrograph (*Nayar, Sundaram*) 512
Crystallite Orientation Parameters and Tensile Properties of Cotton Fibers (*Warrier, Chidambareswaran*) 617
Murray, Michael F. Perforated-Groove, Self-Cleaning, Open-End Spinning Rotors (*Folk*) 140
Effects of Combing-Roll Wire Design and Rotor Speed on Open-End Spinning and Cotton Yarn Properties (*Simpson*) 506

Namboodri, Chettoor G. Foam Finishing of Cotton-Containing Textiles (*Duke*) 156
Nayar, S. G. Determination of Approximate Cotton Fiber Fineness Using the Digital Fibrograph (*Munshi, Sundaram*) 512
Needles, Howard L. The Effect of Tetrakis (Hydroxymethyl) Phosphonium Chloride (THPC) on Selected Properties of Fibers (*Tai*) 43
Nerurkar, S. K. Effect of Carding Conditions on Trash Release in Open-End Spinning (*Supanekar*) 26
Newton, A. Statistical Techniques in the Analysis of Jacquard Weft-Knitted Structures (*Fahmy*) . . 661
Nossar, M. S. A New Moisture-Measurement Technique for Drying Beds of Loose Textile Fibers (*Holmes-Brown*) 312

Ory, Robert L. Specific Antibody Response of Rabbits to Water Extracts of Cotton Dust and Bract (*Sekul*) 523

Paek, Soae L. An Analysis of Sensory Hands as Identified by Selected Consumers 698
Pardo, Clay E. Author's Reply to Comments re Wool Flame-Retardants (*Thorsen, Friedman*) 121
Pasad, D. M. Influence of Bleaching Operations on the Properties of Control and DMEU-Finished Cotton Fabrics (*Varghese, Achwal*) 543
Patil, N. B. Quantitative X-Ray Phase Analysis in Cottons Through Simple Indices (*Chidambareswaran, Sreenivasan, Sundaram*) 493
Patureau, Myles A. Effect of Rotor Speed on Open-End Spinning and Yarn Properties (*Simpson*) . . 468
Perkins, Henry H., Jr. Dust-Control Additives for Cotton and Cotton/Polyester Blends (*Cocke*) 131
Perkins, R. M. Insulative Values of Single-Layer Fabrics for Thermal Protective Clothing 202
Peters, R. H. Absorption of Sodium and Chloride Ions by Degraded Wool (*Rippon*) 578
Structure-Property Relationships in Polytetramethylene Terephthalate/Polytetramethylene Isophthalate Copolyesters. Part I: Glass-Transition Temperatures (*Moore*) 623
Part II: Relationships Between Dyeability and the Glass-Transition Temperature (*Moore*) 710
Phillips, B. R. Identification of Barré Sources in Circular Knits (*Coryell*) 105
Phillips, W. A. Protective Clothing—Evaluation of Wool and Other Fabrics (*Benisek, Edmonson*) . 212
Phoenix, S. Leigh Statistical Theory for the Strength of Twisted Fiber Bundles with Applications to Yarns and Cables 407
Pillai, P. K. C. Thermally-Stimulated Depolarization-Current Studies in Thermoelectrets of Cotton and Staple Viscose Rayon (*Mollah*) 647
Pintauro, Elissa M. Ignition Process in Single and Multicomponent Polyester/Cotton Textile Structures (*Buchanan*) 326
Postle, R. Bending Properties of Warp-Knitted Outerwear Fabrics (*Gibson, Dhingra*) 50
The Torque Generated in Single and Multi-Ply Yarns as a Function of Changes in Yarn Tension (*Bennett*) 499
Shear Properties of Warp-Knitted Outerwear Fabrics (*Dhingra*) 526
Measurement and Interpretation of Fabric Dynamic Modulus (*Blyth*) 601
Preston, J. A Solvent-Dyeing Process for Aramid Fibers (*Hofferbert*) 283

Rajagopalan, A. Morphological and Mechanical Properties of Raw and Swollen Cotton Fibers (*Chauhan, Shah, Dweltz*) 632
Ramey, H. H., Jr. Mechanical Properties of Cotton/Polyester Yarns. Part I: Contributions of Interfiber Friction to Breaking Energy (*Duckett, Goswami*) 262
Relation of Cotton Fiber Maturity and Strength Uniformity to Change in Tenacity with Mercerization (*Lawson, Jones*) 433
Randall, V. G. Vapor-Phase Ozone Treatment of Wool Garments (*Thorsen, Sharp*) 190
Reagan, Barbara M. The Effect of Dry-Cleaning and of Laundering With and Without Fabric Softeners on the Thermal Properties of Blankets (*Baker*) 302
Rebenfeld, L. PET Filaments with Radially-Differentiated Structure (*Gerold, Scott, Weigmann*) . . . 652
Reeves, Wilson A. Lightweight, Durable-Press Cotton and Polyester/Cotton with Ignition Resistance (*Marquette*) 163
Resch, W. A., III Design and Construction of a Thermally-Instrumented Mannequin for Measuring the Burn Injury Potential of Wearing Apparel (*Trent, Coppari, Finley*) 639
Rhodes, P. L. Evaluation of Cotton/Kevlar Blends (*Graham*) 28
Rippon, J. A. Absorption of Sodium and Chloride Ions by Degraded Wool (*Peters*) 578
Roberts, M. W. The Critical Surface Tension of Wool (*Byrne, Ross*) 34
Roche, E. Electron Microscopy Investigation of the Polymorphy of Ramie Cellulose 309
Ross, J. R. H. The Critical Surface Tension of Wool (*Byrne, Roberts*) 34
Rowland, Stanley P. Interaction of Carbamates and Their N-Methylol Derivatives with Cotton and Sephadex, Measured by Gel Filtration (*Stanonis*) 72
Mechanistic Aspects of Flame Retardancy in Cotton Cellulose (*Franklin*) 170
Ruppenicker, George F. Factors Affecting the Lint Shedding of Cotton Knitting Yarns (*Lofton*) . . 681

Samajpati, S. Geometrical and Mechanical Properties of Alkali-Treated Jute Filaments (*Mazumdar, Das Gupta*) 8
Sarma, T. S. Quantitative Analysis of Cotton-Polynosic Blends (*Kumar, Srivastava*) 673
Sasser, P. E. Chemical Composition of Cotton Dusts. Part I: Analyses of Cotton Plant Parts, Gin Trash, and Weed Samples (*Mittal, Fornes, Gilbert*) 364
Part II: Analyses of Samples Collected in a Model Card Room (*Mittal, Gilbert, Fornes, Hersh*) . . . 389
Saxena, R. K. Effect of Dye-Polymer Interaction on the Stress-Strain Characteristics of Dyed Polyethylene Terephthalate Fiber (*Gulrajani, Sengupta*) 474
Scott, M. G. PET Filaments with Radially Differentiated Structure (*Gerold, Rebenfeld, Weigmann*) 652
Sekul, Antonio A. Specific Antibody Response of Rabbits to Water Extracts of Cotton Dust and Bract (*Ory*) 523
Sengupta, A. K. Effect of Tension Level on Texturizing of Nylon 6 Multifilament Yarn (*Mukherjee, Bhattacharya*) 40
A Comparative Study of Thermomechanical and Chemomechanical Texturing of Nylon 6 Multifilament Yarns (*Gianchandani, Jindal*) 360
Effect of Dye-Polymer Interaction on the Stress-Strain Characteristics of Dyed Polyethylene Terephthalate Fiber (*Gulrajani, Saxena*) . . . 474
Shah, N. M. SEM Studies of the Fracture Morphology of Single Cotton Fibers (*Chauhan, Dweltz*) . . . 61
Morphological and Mechanical Properties of Raw and Swollen Cotton Fibers (*Chauhan, Rajagopalan, Dweltz*) 632
Sharp, D. L. Vapor-Phase Ozone Treatment of Wool Garments (*Thorsen, Randall*) 190
Shrivastava, S. K. Physical Chemistry of Dyeing of Cellulosic Fibers with Reactive Dyes. Part I: The Role of Electrolytes in the Sorption of Hydrolyzed Reactive Dyes (*Madan*) 322
Simonson, Richard Stephen Comparison of Carboxyl-Content Determination in Cellulose Half-Acid Ester Derivatives by Calcium Acetate and Silver Absorption Methods (*Cuculo, Wadsworth*) . . . 352
Simpson, Jack Effect of Rotor Speed on Open-End Spinning and Yarn Properties (*Patureau*) . . . 468
Effects of Combing-Roll Wire Design and Rotor

Speed on Open-End Spinning and Cotton Yarn Properties (*Murray*) 506
Smith, M. M. Determination of Trivalent Phosphorus in Flame-Retardant Textiles (*Soignet*) 490
Sobieraj, Izabela Properties of Blend Yarns (*Żurek, Trzęsowska*) 438
Soignet, D. M. Determination of Trivalent Phosphorus in Flame-Retardant Textiles (*Smith*) 490
Sparrow, J. T. Tensile Fatigue of Cotton Fibers (*Hearle*) 242
Further Studies of the Fractography of Cotton Fibers (*Hearle*) 268
Sproles, George B. Absorbency of Terry Towels: A Comparative Evaluation of Test Methods (*Cary*) 691
Sreenivasan, S. Quantitative X-Ray Phase Analysis in Cottons Through Simple Indices (*Chidambareswaran, Patil, Sundaram*) 494
Srivastava, H. C. Quantitative Analysis of Cotton-Polynosic Blends (*Kumar, Sarma*) 673
Stanonis, David J. Interaction of Carbamates and Their N-Methylol Derivatives with Cotton and Sephadex, Measured by Gel Filtration (*Rowland*) 72
Stepaniak, R. F. The Use of Small-Angle Light-Scattering (SALS) to Examine the Structure of Fibers (*Garton, Carlsson, Wiles*) 335
St. Mard, Hubert H. Imparting Smolder-Resistance to Cotton Upholstery Fabric (*Donaldson, Harper*) 185
Stone, J. F. Incremental Frictional Abrasion. Part III: Analysis of Abrasion Effects Using Photomicrographs of Fabric Cross Sections (*Warfield*) 250
Strevens, Elizabeth A. A Statistical Examination of Influences Affecting Lightfastness of Dyed Fibers—The Effect of Fiber Polarity (*Giles*) . . 724
Stuart, I. M. Fiber-Type Elasticity 588
Suganuma, Keiko The Influence of Adsorbed Dyes on the Yield Stress of Nylon Filaments 536
Sundaram, V. Quantitative X-Ray Phase Analysis in Cottons Through Simple Indices (*Chidambareswaran, Sreenivasan, Patil*) 493
Determination of Approximate Cotton Fiber Fineness Using the Digital Fibrograph (*Nayar, Munshi*) 512
Supanekar, S. D. Effect of Carding Conditions on Trash Release in Open-End Spinning (*Nerurkar*) 26
Suprunchuk, T. A Systematic Study of the Effects of Individual Constructional Components on the Flammability Characteristics of a Carpet (*Day, Wiles*) 88
Swidler, R. A. A New Reactive System for Continuous Dyeing and Printing of Cellulose and Blends (*McConnell, Graham*) 458

Tai, Anne The Effect of Tetrakis (Hydroxymethyl) Phosphonium Chloride (THPC) on Selected Properties of Fibers (*Needles*) 43
Taylor, Robert A. New Spindle Tip Reduces Spinning Yarn Tension and Tension-Related Ends Down (*Graham*) 608
The Influence of Front-Roll Coverings on the Spinning Strength of Cotton (*Graham*) 717
Tera, F. M. The Relationship Between Light-Fastness and the Physical Properties of Simple Mono-Azo Dyestuffs (*Kamel, Amin, Afifi*) 260
Thorsen, Walter J. Durable-Press, Wool/Cotton Blend, Double-Knitted Fabrics Shrink-Resisted with Ozone (*Ash*) 65
Author's Reply to Comments re Wool Flame-Retardants (*Pardo, Friedman*) 121
Vapor-Phase Ozone Treatment of Wool Garments (*Sharp, Randall*) 190
Shrinkproofing Wool with Ozone-Enriched Water 595
Towery, Jack D. Improving Gin-Lint Cleaning for the Removal of Open-End Spinning Microdust (*Baker*) 127
Trent, L. C. Design and Construction of a Thermally-Instrumented Mannequin for Measuring the Burn Injury Potential of Wearing Apparel (*Resch, Coppari, Finley*) 639
Trzęsowski, Teresa Properties of Blend Yarns (*Żurek, Sobieraj*) 438
Turner, John D. Polyphosphonic Acid Compounds as Crosslinking Agents for Cellulose 244

Varghese, J. Influence of Bleaching Operations on the Properties of Control and DMEU-Finished Cotton Fabrics (*Pasad, Achwal*) 543
Venkatesh, G. M. Effects of Chemical Processing on Shrinkage Behavior of Warp Yarns in NaOH Solution 75

Wadsworth, Larry C. Comparison of Carboxyl-Content Determination in Cellulose Half-Acid Ester Derivatives by Calcium Acetate and Silver Absorption Methods (*Simonson, Cuculo*) 352
A Comparison of the Effects of Liquid Ammonia and Sodium Hydroxide Treatments on the Accessibility of Wood Pulp (*Cuculo, Hudson*) 424
The Reaction of Wood Pulp with α,β-Amic Acids. Part II: Synthesis and Characterization of Possible Spinnable Derivatives (*Cuculo, Hudson*) 445
Cross-Sectional Parameters of Cotton Fibers (*Hebert, Boylston*) 540
Wall, James H. Composition of Weave-Room Dust (*Brown, Berni*) 19
Photographic Documentation of Fluorescent Compounds in Gin Trash (*Muller, Webber*) 677
Warfield, C. L. Incremental Frictional Abrasion. Part III: Analysis of Abrasion Effects Using Photomicrographs of Fabric Cross Sections (*Stone*) 250
Warnock, Mary The Soiling Propensity of Open-End and Ring-Spun Yarns in Jersey Knit Fabrics (*Broome*) 530
Warrier, J. K. S. Crystallite Orientation Parameters and Tensile Properties of Cotton Fibers (*Munshi, Chidambareswaran*) 617
Webber, T. Photographic Documentation of Fluorescent Compounds in Gin Trash (*Muller, Wall*) 677
Weigmann, H.-D. Effect of Polymer Deposition and Washing Medium on the Felting Shrinkage of Chlorinated Wool Fabrics (*Kamath, Dansizer*) 292
Thermomechanical and Swelling Behavior of Polymers Used in Wool Shrinkproofing (*Kamath, Dansizer*) 343
PET Filaments with Radially-Differentiated Structure (*Gerold, Rebenfeld, Scott*) 652
Wiles, D. M. A Systematic Study of the Effects of Individual Constructional Components on the Flammability Characteristics of a Carpet (*Day, Suprunchuk*) 88
The Use of Small-Angle Light-Scattering (SALS) to Examine the Structure of Fibers (*Garton, Carlsson, Stepaniak*) 335
Wyatt, Nancy E. Lint-Loss and Appearance-Change Tests for Blankets (*Hassenboehler*) 583

Zeidman, M. I. Some Opinions About Ideal Migration Structure 118
Żurek, Witold Properties of Blend Yarns (*Sobieraj, Trzęsowska*) 438

SUBJECT INDEX

Abrasion, Frictional
incremental: Part III: analysis of abrasion effects using photomicrographs of fabric cross sections *Warfield, Stone* . . . 250
Agave Fibers
natural hard fibers: statistical correlations of physical and mechanical properties *Belmares, Castillo, Barrera* . . . 619
Alkali Treatment
of jute filaments: geometrical and mechanical properties following *Samajpati, Mazumdar, Das Gupta* . . . 8
Amic Acids, α and β
reaction of wood pulp with: Part II: Synthesis and characterization of possible spinnable derivatives *Wadsworth, Cuculo, Hudson* . . . 445
Anisotropic Fiber Assemblies
geometrical expressions of spaces in: *Komori, Makishima* . . . 550
Antibody Response, Specific
of rabbits: to water extracts of cotton dust and bract *Sekul, Ory* . . . 523
Aramid Fibers
solvent-dyeing process for: *Preston, Hofferbert* . . . 283

Barré Sources
in circular knits: identification of *Coryell, Phillips* 105
Bending Properties
of warp-knitted outerwear fabrics: *Gibson, Dhingra, Postle* . . . 50
Blankets
changes during laundering and use: lint-loss and appearance-change tests *Hassenboehler, Wyatt* . . . 583
thermal properties of: effect of dry-cleaning and laundering with and without fabric softeners on *Baker, Reagan* . . . 302
Bleaching Operations
influence of on fabric properties: control and DMEU-finished cotton *Varghese, Pasad, Achwal* 543
Blend Fabrics
DP, wool/cotton, double-knitted: shrink-resisted with ozone *Thorsen, Ash* . . . 65
polyester/cotton: ignition process and thermal decomposition of single and multicomponent fabrics *Pintauro, Buchanan* . . . 326
Blends
cotton and cotton/polyester: dust-control additives for *Perkins, Cocke* . . . 131
cotton/Kevlar: evaluation of: *Rhodes, Graham* . . . 28
Blend Yarns
properties of: *Żurek, Sobieraj, Trzęsowska* . . . 438
Burn Injury Potential
of wearing apparel: design and construction of thermally-instrumented mannequin for measuring *Trent, Resch, Coppari, Finley* . . . 639
Byssinosis
relation to chemical composition of cotton dust: a review of the literature *Cooke* . . . 398

Carbamates
interaction of and N-methylol derivatives: with cotton and Sephadex, measured by gel filtration *Stanonis, Rowland* . . . 72
Carbohydrazide
effects of adding to THPOH-NH_3 finishing: and decrease in shade changes of reactive-dyed cotton fabrics *Cashen* . . . 94
Carboxyl-Content Determination
comparison of: in cellulose half-acid ester derivatives by calcium acetate and silver absorption methods *Simonson, Cuculo, Wadsworth* . . . 352
Carding Conditions
effect of on trash release: in open-end spinning *Supanekar, Nerurkar* . . . 26
Carpet Flammability
study of effects of construction on: *Day, Suprunchuk, Wiles* . . . 88
Cellulose
accessibility (of wood pulp): comparison of effects of liquid ammonia and sodium hydroxide treatments on *Wadsworth, Cuculo, Hudson* . . . 424
crosslinking agents for: polyphosphonic acid compounds as *Turner* . . . 244
Cellulose and Blends
continuous dyeing and printing of: a new reactive system for *McConnell, Graham, Swidler* . . . 458
Cellulose Derivatives
synthesis and characterization of: possible spinnable derivatives. Reaction of wood pulp with α,β-amic acids *Wadsworth, Cuculo, Hudson* . . . 445
Cellulose Half-Acid Ester Derivatives
comparison of carboxyl-content determination in: by calcium acetate and silver absorption methods *Simonson, Cuculo, Wadsworth* . . . 352
Cellulosic Fibers
physical chemistry of dyeing: with hydrolyzed reactive dyes. Part I: Role of electrolytes in sorption of hydrolyzed reactive dyes *Madan, Shrivastava* 322
Clothing Comfort
analysis of: human perception approach *Hollis, Custer, Morin, Howard* . . . 557
Combing-Roll Wire
design of: affects open-end spinning and cotton yarn properties, as does rotor speed *Simpson, Murray* 506
Copolyesters
polytetramethylene terephthalate/polytetramethylene isophthalate: Part I: structure-property relationships *Moore, Peters* . . . 623
Part II: glass-transition temperature related to dyeability *Moore, Peters* . . . 710
Cotton Cellulose
flame retardancy in: mechanistic aspects of *Franklin, Rowland* . . . 170
Cotton Comfort Preference
human perception analysis: *Hollies, Custer, Morin, Howard* . . . 557
Cotton Dust
chemical composition of: and its relation to byssinosis: a review of the literature *Cooke* . . . 398
removal of: improving gin-lint cleaning for, of open-end spinning microdust *Towery, Baker* . . . 127
rotor dust reduced: with perforated-groove, self-cleaning, open-end spinning rotors *Murray, Folk* 140
chemical composition of: Part I: plant parts, gin trash, and weed samples *Mittal, Fornes, Gilbert, Sasser* . . . 364
Part II: analyses of samples collected in model card room *Mittal, Gilbert, Fornes, Hersh, Sasser* . . . 389
and bract: specific antibody response to water extracts into rabbits *Sekul, Ory* . . . 523
Cotton Fabrics
DMEU-finished and control: influence of bleaching operations on properties of *Varghese, Pasad, Achwal* . . . 543

Cotton Fiber
maturity and strength uniformity: relation to change in tenacity with mercerization *Lawson, Ramey, Jones* . . . 433
tensile fracture of: a new look at (polarizing microscope with movie camera) *Hebert* . . . 575
Cotton Fiber Convolution
contributions of perimeter and wall thickness to level of: *Duckett, Goswami* . . . 368
Cotton Fiber Fineness
determination of approximate: using digital fibrograph *Nayar, Munshi, Sundaram* . . . 512
Cotton Fibers
cross-sectional parameters of: *Hebert, Boylston, Wadsworth* . . . 540
crystallite orientation parameters of: and tensile properties *Warrier, Munshi, Chidambareswaran* 617
electron microscopy study of: mercerized at elevated temperatures *Boylston, Hebert* . . . 317
fractography of: further studies on *Hearle, Sparrow* 268
raw and swollen: morphological and mechanical properties of *Chauhan, Shah, Rajagopalan, Dweltz* . . . 632
tensile fatigue of: *Hearle, Sparrow* . . . 242
Cotton Fibers, Single
fracture morphology of: SEM studies of *Chauhan, Shah, Dweltz* . . . 61
Cotton Finishing
foam-finishing cotton and blends: process and energy savings discussed *Namboodri, Duke* . . . 156
Cotton Gins
lint-cleaning efficiency at: and its significance *Mangialardi* . . . 476
Cotton/Kevlar Blends
evaluation of: *Rhodes, Graham* . . . 28
Cotton Knitting Yarns
lint shedding of: factors affecting *Ruppenicker, Lofton* . . . 681
Cotton Microdust
accumulation in rotor spinning: microscopic method for analyzing *Langley, Haasma* . . . 455
Cotton, Polyester/Cotton
ignition-resistant and DP: lightweight broadcloth *Reeves, Marquette* . . . 163
Cotton/Polyester Yarns
mechanical properties of: Part I: contributions of interfiber friction to breaking energy *Duckett, Goswami, Ramey* . . . 262
Cotton-Polynosic Blends
quantitative analysis of: *Kumar, Sarma, Srivastava* 673
Cotton Protective Apparel
for the space shuttle: *Dawn, Morton* . . . 197
Cotton, Raw Stock
effects of washing on: trash and carding dust levels and FEV_1 values—a pilot study *Brown, Berni, Cocke, Bragg* . . . 679
Cotton, Spinning Strength of
influence of front-roll coverings on: *Taylor, Graham* 717
Cotton Upholstery Fabric
imparting smolder-resistance to: *Donaldson, St. Mard, Harper* . . . 185
Cotton Yarn Properties
effects of combing-roll wire design on: also rotor speed *Simpson, Murray* . . . 506
Crosslinking
uniformity of: consideration of critical add-on *Heap* 150
Crosslinking Agents
for cellulose: polyphosphonic acid compounds as *Turner* . . . 244
Cross-Sectional Parameters
of cotton fiber: *Hebert, Boylston, Wadsworth* . . . 540
Crystallite Orientation
in PET fibers: determination of *Gupta, Kumar* . . . 405
parameters and tensile properties: of cotton fibers *Warrier, Munshi, Chidambareswaran* . . . 617
Crystallization
sequential solvent and thermal/stress: during drawing, to produce radially-differentiated structure in PET filaments *Gerold, Rebenfeld, Scott, Weigmann* . . . 652
CSIRO Fiber-Fineness Distribution Analyser
measurement by: some factors affecting *Lunney, Irvine* . . . 371
calibration of: *Irvine, Lunney* . . . 97

Depolarization-Current Studies
thermally-stimulated: in thermoelectrets of cotton and staple viscose rayon *Pillai, Mollah* . . . 647
Detergency
kinetics and mechanisms of: Part III: effect of soiling conditions on particulate soil detergency *Kissa* . . . 384
Digital Fibrograph
used to determine approximate cotton fiber fineness: *Nayar, Munshi, Sundaram* . . . 512
Direction Distribution
on cross-contact points: in anisotropic fiber assemblies *Cheng, Duckett* . . . 379
Disperse Dyes
determination of: in polyethylene terephthalate fiber *Kissa* . . . 245
Drying Loose Fibers
new moisture-measurement technique for: *Holmes-Brown, Nossar* . . . 312
Durable-Press Cotton
and flame-retardant finishing: multifunctional applications of hydrazides in *Cashen* . . . 43
and polyester/cotton broadcloth: lightweight, ignition-resistance produced *Reeves, Marquette* . . . 163
Durable-Press Finishing
reduced formaldehyde release in: of cotton textiles *Cashen* . . . 480
Dust-Control Additives
for cotton and cotton/polyester blends: *Perkins, Cocke* . . . 131
Dust Levels
cotton trash and carding: and FEV_1 values: effects of washing raw stock cotton *Brown, Berni, Cocke, Bragg* . . . 679
Dust, Cotton
chemical composition of: Part I: plant parts, gin trash, weed samples *Mittal, Fornes, Gilbert, Sasser* . . . 364
Part II: analyses of samples collected in a model card room *Mittal, Fornes, Gilbert, Hersh, Sasser* . . . 389
Dust, Weave-Room
composition of: *Brown, Wall, Berni* . . . 19
Dyeability
related to glass-transition temperature: in polytetramethylene terephthalate/polytetramethylene isophthalate copolyesters *Moore, Peters* . . . 710
Dyed Fabrics
reactive-dyed cotton: shade changes due to adding carbohydrazide in THPOH-NH_3 finishing *Cashen* . . . 94
Dyed Fibers
lightfastness of: statistical examination of effect of fiber polarity *Giles, Strevens* . . . 724
Dyeing
physical chemistry of: of cellulosic fibers with reactive dyes. Part I: Role of electrolytes in sorption of hydrolyzed reactive dyes *Madan, Shrivastava* 322

Dyeing and Printing, Continuous
of cellulose and blends: a new reactive system for *McConnell, Graham, Swidler* 458
Dyeing, Disperse
comments on mechanism of carrier action: in dyeing polyester *Bhattacharjee* 428
Author's reply: *Datyner* 430
Dyeing, Solvent
process for aramid fibers: *Preston, Hofferbert* . . . 283
Dye-Polymer Interaction
effect of on stress-strain characteristics: of dyed PET fiber *Gulrajani, Saxena, Sengupta* . . . 474
Dyes, Adsorbed
influence of: on yield stress of nylon filaments *Suganuma* 536
Dyestuffs, Simple Mono-Azo
physical properties of: relationship between and lightfastness *Kamel, Amin, Afifi, Tera* 260
Dynamic Modulus
of fabrics: measurement and interpretation of *Blyth, Postle* 601

Elasticity
fiber-type: *Stuart* 588
Electrochemical Process
in molding nonwoven structures: electrode shapes changed for variety *Miura, Hosokawa* 685
Electron Microscopy
investigation of polymorphy: of Ramie cellulose *Roche* 309
study of cotton fibers: mercerized at elevated temperatures *Boylston, Hebert* 317
Elution Behavior
of carbamates and N-methylolderivatives: from Sephadex and cotton cellulose *Stanonis, Rowland* 72

Fabric Dynamic Modulus
measurement and interpretation of: *Blyth, Postle* . . 601
Fabric Hand
sensory hands analyzed: selected consumers used *Paek* 698
Fabric Softeners
dry-cleaning and laundering with and without: effect of on thermal properties of blankets *Baker, Reagan* 302
Fabrics, Outerwear
warp-knitted: bending properties of *Gibson, Dhingra, Postle* 50
warp-knitted: shear properties of *Dhingra, Postle* 526
Felting Shrinkage
of chlorinated wool fabrics: effect of polymer deposition and washing medium on *Kamath, Weigmann, Dansizer* 292
Fiber Assemblies
anisotropic: the direction distribution on cross-contact points in *Cheng, Duckett* 379
Fiber Breakage
and high-capacity ginning: *Griffin* 123
Fiber Bundles
twisted: strength of: statistical theory for, with applications to yarns and cables *Phoenix* 407
Fiber-Distribution Analyzer
calibrating frequency distribution in: a method for *Brown* 101
Fiber Fineness
CSIRO Distribution Analyser: some factors affecting measurement by *Lunney, Irvine* 371
CSIRO Fiber Fineness Distribution Analyser: calibration of *Irvine, Lunney* 97

Fiber Geometry
influences of on performance of nonwoven air filters: Part II: fiber diameter and crimp frequency *Lamb, Costanza* 79
Fiber Polarity
effect of on lightfastness of dyed fibers: statistical examination of influences *Giles, Strevens* . . . 724
Fiber Properties
effect of THPC on: wool, cotton, rayon, nylon, and polyester *Tai, Needles* 43
Fiber Structure
examination of: by small-angle light-scattering (SALS) *Garton, Carlsson, Stepaniak, Wiles* . . 335
Fibers
classic elasticity exhibited by: *Stuart* 588
Filtration Performance
of nonwoven air filters: influence of fiber geometry on. Part II: fiber diameter and crimp frequency *Lamb, Costanza* 79
Finishing, Easy-Care
critical add-on considered: and uniformity of cross-linking *Heap* 150
Fire-Retardant Cotton
insulation characteristics of: examined in product engineering study of safety apparel fabrics *Baitinger* 221
Flame-Retardance
in wool: multipurpose finishes for *Benisek, Craven* 395
Flame-Retardancy
in cotton cellulose: mechanistic aspects of *Franklin, Rowland* 170
Flame-Retardant Cotton
and DP finishes: multifunctional applications of hydrazides in *Cashen* 431
Flame-Retardant Fabrics
vapor-phase pyrolysis products of: infrared analysis of *McCall, Morris, Berni* 288
Flame-Retardant Textiles
determination of trivalent phosphorus in: *Soignet, Smith* 490
Flammability
of carpets: study of effects of constructional components on *Day, Suprunchuk, Wiles* 88
Flammability Classification
of upholstery fabrics: upgrading *via* vapor-phase deposition of boric acid *Madacsi, Knoepfler* . . . 176
Foam-Finishing
of cotton-containing textiles: *Namboodri, Duke* . . 156
Formaldehyde, Reduced Release
in DP finishing of cotton textiles: *Cashen* 480
Fractography
of cotton fibers: further studies of *Hearle, Sparrow* 268
Fracture Morphology
of single cotton fibers: SEM studies of *Chauhan, Shah, Dweltz* 61
Frequency Distributions
calibration of: a method for *Brown* 101
Frictional Abrasion, Incremental
Part III: analysis of abrasion effects using photomicrographs of fabric cross sections *Warfield, Stone* 250
Fyrol 76
as a wool flame-retardant: *Benisek, Edmonson* . . . 119
Comments on the above: *Thorsen, Pardo, Friedman* 121
Reply to the above comments: *Benisek, Edmonson* 122

Gel Filtration
from cotton and Sephadex columns: to measure interaction of carbamates and their N-methylol derivatives *Stanonis, Rowland* 72

Geometrical Anisotropy of Spaces
between fibers in assemblies: expressed using aperture circle and free distance *Komori, Makishima* 550
Gin-Lint Cleaning
improving: for removal of open-end spinning microdust *Towery, Baker* 127
Ginning, High-Capacity
and fiber breakage: *Griffin* 123
Gin Trash
fluorescent compounds in: photographic documentation of *Muller, Wall, Webber* 677
Glass-Transition Temperatures
of copolyesters: polytetramethylene terephthalate/polytetramethylene isophthalate *Moore, Peters* 623
Part II: Relationships between dyeability and T_g *Moore, Peters* 710

Hand, Fabric
analysis of sensory hands: as identified by selected consumers *Paek* 698
Heat and Flame Protection
wool and other clothing fabrics evaluated: *Benisek, Edmonson, Phillips* 212
Ignition Process
in polyester/cotton textile structure: single and multicomponent *Pintauro, Buchanan* 326
Ignition Resistance
of lightweight, DP cotton and polyester/cotton broadcloths: *Reeves, Marquette* 163
Insulative Values
of single-layer fabrics: for thermal protective clothing *Perkins* 202
Intermicrofibrillar Linkages
in α-keratin fibers: *Feughelman* 704

Jacquard Weft-Knitted Structures
analysis of: statistical techniques in *Fahmy, Newton* 661
Jersey Knit Fabrics
open-end and ring-spun yarns in: soiling propensity of *Broome, Warnock* 530
Jute Filaments
alkali-treated: geometrical and mechanical properties of *Samajpati, Mazumdar, Das Gupta* . . . 8

α-Keratin Fibers
intermicrofibrillar linkages in: *Feughelman* 704
Kevlar/Cotton Blends
evaluation of: *Rhodes, Graham* 28
Kevlar 29 Parachute Webbing
tensile failure and joint strength of: effect of warp and filling variables on *Ericksen, Abbott, Donovan, Coskren* 1
Kevlar 29 Yarn
technique for simulating strength of: in woven configuration *Ericksen* 226
Knit Fabrics
circular: identifying barré sources in *Coryell, Phillips* 105

Lattice Conversion Ratio
utility of: in estimating cellulose II and amorphous contents in samples; also using crystallinity index for cellulose I *Chidambareswaran, Sreenivasan, Patil, Sundaram* 493
Lechuguilla (*Agave*) Fibers
mechanical and physical properties of: statistical correlations of *Belmares, Castillo, Barrera* . . . 619
Lightfastness
of dyed fibers: statistical examination of influences affecting—effect of fiber polarity *Giles, Strevens* 724
of simple mono-azo dyestuffs: relationship between physical properties *Kamel, Amin, Afifi, Tera* 260
Lint-Cleaning Efficiency
of gins: and its significance *Mangialardi* 476
Lint-Loss
in blankets: and appearance-change tests *Hassenboehler, Wyatt* 583
Lint Shedding
of cotton knitting yarns: factors affecting *Ruppenicker, Lofton* 681

Mannequin
thermally-instrumented: design and construction discussed: for measuring burn injury potential of wearing apparel *Trent, Resch, Coppari, Finley* 639
Mercerization
change in tenacity due to: relation of cotton fiber maturity and strength uniformity to *Lawson, Ramey, Jones* 433
Migration Structure
ideal: some opinions about *Zeidman* 118
Models
of nonlinear creep: in textile fibers *Militký, Jansa* 238
Reply to above comments: *Gupta, Kumar* 240
Moisture Absorbency
of terry towels: comparative evaluation of test methods for *Cary, Sproles* 691
Moisture Measurement
new technique: for drying beds of loose textile fibers *Holmes-Brown, Nossar* 312
Moisture Regain
used to analyze cotton-polynosic blends: MR is linear function of blend composition *Kumar, Sarma, Srivastava* 673

Natural Fibers
of North America: *Agave lechuguilla:* statistical correlations of physical and mechanical properties *Belmares, Castillo, Barrera* 619
Nonlinear Creep
of textile fibers: modeling of *Militký, Jansa* . . . 238
Reply to above comments: *Gupta, Kumar* 240
Nonwoven Air Filters
influence of fiber geometry of performance: Part II: fiber diameter and crimp frequency *Lamb, Costanza* 79
Nonwoven Structures
molding of: electrochemical process in *Miura, Hosokawa* 685
Nylon Filaments
yield stress of: influence of adsorbed dyes on *Suganuma* 536
Nylon 6
multifilament yarn: effect of tension level on texturizing of *Mukherjee, Sengupta, Bhattacharya* 40
Nylon 6 Yarns
multifilament: texturing of: comparative study of thermo- and chemomechanical texturing *Sengupta, Gianchandani, Jindal* 360

Open-End Spinning
effects of combing-roll wire design on: also rotor speed *Simpson, Murray* 506
Ozone Treatment
vapor-phase: of wool garments *Thorsen, Sharp, Randall* 190

Peak Resolutions
maximizing of: using practical sample-holder: with x-ray diffractometry *Hall, Hajek, Hardin* . . . 495

PET Fibers
crystallite orientation in: determination of *Gupta, Kumar* . . . 405
PET Fiber, Dyed
stress-strain characteristics of: effect of dye-polymer interaction on *Gulrajani, Saxena, Sengupta* . . 474
PET Filaments
with radially-differentiated structure: preliminary experiments to establish underlying feasibility *Gerold, Rebenfeld, Scott, Weigmann* 652
Phosphorus, Trivalent
in flame-retardant textiles: determination of *Soignet, Smith* . . . 490
Polyester/Cotton Yarns
mechanical properties of: Part I: contributions of interfiber friction to breaking energy *Duckett, Goswami, Ramey* . . . 262
Polyester, Dyeing of
comments on mechanism of carrier action: *Bhattacharjee* . . . 428
Author's Reply: *Datyner* . . . 430
Polyethylene Terephthalate Fibers
disperse dyes in: determination of *Kissa* . . . 245
Protective Clothing
evaluation of wool and other fabrics: *Benisek, Edmonson, Phillips* . . . 212
Pyrolysis Products, Vapor-Phase
of flame-retardant fabrics: infrared analysis of *McCall, Morris, Berni* . . . 288

Ramie
cellulose: electron microscopy investigation of polymorphy of *Roche* . . . 309
Rotor Speed
effect of on open-end spinning: and on yarn properties *Simpson, Patureau* . . . 468
Rotor Spinning
cotton microdust accumulation in: microscopic method for analyzing *Langley, Haasma* . . . 455

Safety Apparel Fabrics
product engineering of: insulation characteristics of fire-retardant cottons *Baitinger* . . . 221
Shear Properties
of warp-knitted outerwear fabrics: *Dhingra, Postle* 526
Shrinkage Behavior
of warp yarns: effects of chemical processing on, in NaOH solution *Venkatesh* . . . 75
Shrinkproofing
of wool: with ozone-enriched water *Thorsen* . . . 595
Shrink-Resistance
with ozone: of DP, wool/cotton blend, double-knitted fabrics *Thorsen, Ash* . . . 65
Shrink-Resist Treatments
of wool fabrics: with water-soluble acrylic copolymers. Part I: relationships between polymer composition and shrink resistance *Bereck* . . . 233
Part II: physical properties of polymers and treated fabrics *Bereck, Kamien* . . . 247
Slivers, Disoriented
systematic cutting and stretch-breaking of: models presented *Harrowfield* . . . 565
Small-Angle Light-Scattering (SALS)
used to examine fiber structure: *Garton, Carlsson, Stepaniak, Wiles* . . . 335
Smolder-Resistance
in cotton upholstery fabric: imparting of *Donaldson, St. Mard, Harper* . . . 185
Soiling Propensity
of open-end and ring-spun yarns: in jersey knit fabrics *Broome, Warnock* . . . 530
Soil Removal
rate depends on soiling conditions: decreases with increasing work performed when soil and fibers are contacted *Kissa* . . . 384
Solvent-Dyeing Process
for aramid fibers: described: excellent shade depths *Preston, Hofferbert* . . . 283
Sorption of Na and Cl Ions
by wool: in pH range 3 to 10 following: 1) H_2SO_4, and 2) peracetic acid treatments *Peters, Rippon* 578
Space-Flight Apparel
cotton-protective: for space shuttle *Dawn, Morton* 197
Spindle Tip, New
reduces spinning yarn tension: and tension-related ends down *Taylor, Graham* . . . 608
Spin-Finish Components
properties of: a systematic approach to the description of *McGregor* . . . 485
Spinning
and preparation of wool: with the rotor-spinning system *Landwehrkamp* . . . 137
Spinning, Open-End
effect of rotor speed on: and yarn properties *Simpson, Patureau* . . . 468
trash release in: effect of carding conditions on *Supaneckar, Nerurkar* . . . 26
Spinning Process
new: for worsted yarns: Coverspun® by Leesona Corp. *Caban* . . . 146
Spinning Rotors
perforated-groove, self-cleaning, open-end *Murray, Folk* . . . 140
Spinning Strength
of cotton: influence of front-roll coverings on *Taylor, Graham* . . . 717
Staple Yarns
breakage of: *Brody* . . . 516
Stress-Strain Characteristics
of dyed PET fiber: effect of dye-polymer interaction on *Gulrajani, Saxena, Sengupta* . . . 474
Stretch-Breaking
of disoriented sliver: and systematic cutting *Harrowfield* . . . 565
Surface Tension, Critical
of wool: *Byrne, Roberts, Ross* . . . 34
Surfactant Concentration
effect of on felting: of untreated chlorinated wool fabric *Kamath, Weigmann, Dansizer* . . . 292
Surfactants
molecular geometry of: molecular connectivity method used to correlate properties *McGregor* 485
Swelling Behavior
of polymers: used in wool shrinkproofing; also thermomechanical properties *Kamath, Weigmann, Dansizer* . . . 343

Tenacity
change with mercerization: relation of cotton fiber maturity and strength uniformity to *Lawson, Ramey, Jones* . . . 433
Tensile Failure
effect of warp and filling variables on: and on joint strength: of Kevlar 29 parachute webbing *Ericksen, Abbott, Donovan, Coskren* . . . 1
Tensile Fatigue
of cotton fibers: *Hearle, Sparrow* . . . 242
Tensile Fracture
of cotton fiber: polarizing microscope with movie camera used to study *Hebert* . . . 575

Tensile Properties
of cotton fibers: morphological features related to tensile properties *Chauhan, Shah, Rajagopalan, Dweltz* . . . 632
Tension Level
effect of: on texturizing of nylon 6 multifilament yarn *Mukherjee, Sengupta, Bhattacharya* . . . 40
Terry Towels
absorbancy of: comparative evaluation of test methods *Cary, Sproles* . . . 691
Texturing
of nylon 6 multifilament yarns: comparative study of thermo- and chemomechanical texturing *Sengupta, Gianchandani, Jindal* . . . 360
effect of tension level on: of nylon 6 multifilament yarns *Mukherjee, Sengupta, Bhattacharya* . . . 40
Thermal Decomposition
of polyester/cotton textiles: single and multicomponent. Ignition characteristics also studied *Pintauro, Buchanan* . . . 326
Thermal Properties
of blankets: effect of dry-cleaning and of laundering with and without fabric softeners on *Baker, Reagan* . . . 302
Thermal Protective Clothing
single-layer fabrics: insulative values of *Perkins* 202
Thermoelectrets
of cotton and staple viscose rayon: thermally-stimulated depolarization-current studies in *Pillai, Mollah* . . . 647
Thermomechanical Behavior
of polymers: used in wood shrinkproofing; also swelling behavior *Kamath, Weigmann, Dansizer* . . 343
THPC
effect of on selected properties of fibers: *Tai, Needles* . . . 43
THPOH-NH_3 Finishing
effects of carbohydrazides on: and decrease in shade changes of reactive-dyed cotton fabric *Cashen* 94
Torque in Yarns
as result of change in applied tensile stress: single and multi-ply yarns *Bennett, Postle* . . . 499
Twisted Yarns and Cables
strength of: statistical theory for *Phoenix* . . . 407

Upholstery Fabrics
upgrading flammability classification of: *via* vapor-phase deposition of boric acid *Madacsi, Knoepfler* . . . 176
cotton: imparting smolder-resistance to *Donaldson, St. Mard, Harper* . . . 185
Warp-Knitted Outerwear Fabrics
bending properties of: *Gibson, Dhingra, Postle* . . . 50
Warp Yarns
shrinkage behavior of: effects of chemical processing on, in NaOH solution *Venkatesh* . . . 75
Weaving
dust from: composition of in weave- and card-room sites *Brown, Wall, Berni* . . . 19
Webbing, Parachute
Kevlar 29: effect of warp and filling variables on tensile failure and joint strength of *Ericksen, Abbott, Donovan, Coskren* . . . 1
Wood Pulp
accessibility of: comparison of effects of liquid ammonia and sodium hydroxide treatments on *Wadsworth, Cuculo, Hudson* . . . 424
reaction with α,β-amic acids: Part II: synthesis and characterization of possible spinnable derivatives *Wadsworth, Cuculo, Hudson* . . . 445
Wool
critical surface tension of: *Byrne, Roberts, Ross* . . 34
preparation and spinning of: with the rotor-spinning system *Landwehrkamp* . . . 137
Wool/Cotton Blends
DP, double-knitted: shrink-resisted with ozone *Thorsen, Ash* . . . 65
Wool Cuticle
and cuticle components: studies on *Kulkarni, Baumann* . . . 675
Wool, Degraded
absorption of Na and Cl ions by: *Peters, Rippon* . . 578
Wool Fabric
shrinkproofing of: with ozone-enriched water *Thorsen* . . . 595
Wool Fabrics
shrink-resist treatments of: with water-soluble acrylic copolymers. Part I: relationships between polymer composition and shrink resistance *Bereck* . . . 233
Part II: physical properties of polymers and treated fabrics *Bereck, Kamien* . . . 247
Wool Fabrics, Chlorinated
felting shrinkage of: effect of polymer deposition and washing medium on *Kamath, Weigmann, Dansizer* . . . 292
Wool Fibers
loose: drying beds of: new moisture-measurement technique for *Holmes-Brown, Nossar* . . . 312
Wool Finishes
multipurpose: flame-retardant *Benisek, Craven* . . 395
Wool, Flame-Retardant for
Fyrol 76: *Benisek, Edmonson* . . . 119
Comments on above: *Thorsen, Pardo, Friedman* . . 121
Reply to above comments: *Benisek, Edmonson* . . . 122
Wool Garments
vapor-phase ozone treatment of: *Thorsen, Sharp, Randall* . . . 190
Wool Shrinkproofing
polymers used in: thermomechanical and swelling behavior of *Kamath, Weigmann, Dansizer* . . 343
Worsted Yarns
new spinning process for: Coverspun® by Leesona Corp. *Caban* . . . 146

X-Ray Diffractometry
peak resolutions with: a practical sample-holder for maximizing *Hall, Hajek, Hardin* . . . 495
X-Ray Phase Analysis, Quantitative
in cottons: through simple indices *Chidambareswaran, Sreenivasan, Patil, Sundaram* . . . 493

Yarn Breakage
PET/cotton staple: *Brody* . . . 516
Yarn Length
in design repeat: is fundamental parameter governing dimensional properties of Jacquard knitted fabric *Fahmy, Newton* . . . 661
Yarn Properties
effect of rotor speed on: and open-end spinning *Simpson, Patureau* . . . 468
Yarns, Blend
properties of: *Żurek, Sobieraj, Trzęsowska* . . . 438
Yarn Strength
Kevlar 29: technique for simulating strength in woven configuration *Ericksen* . . . 226
Yarn Structure
ideal migration structure: some opinions about *Zeidman* . . . 118
Yarn Tension
changes in: torque generated in single and multi-ply yarns as a function of *Bennett, Postle* . . . 499
spinning: reduced by new spindle tip; also reduces tension-related ends-down *Taylor, Graham* . . 608